ELSEVIER

Journal of Immunological Methods 191 (1996) 199–200

JOURNAL OF IMMUNOLOGICAL METHODS

Contents of volume 191 (1996)

Number 1 – 10 May 1996

Research reports

Immunogenicity of new heterobifunctional cross-linking reagents used in the conjugation of synthetic peptides to liposomes
C. Boeckler, B. Frisch, S. Muller and F. Schuber (France) 1

Fractionation of perforin and granzymes by immobilized metal affinity chromatography (IMAC)
U. Winkler, T.M. Pickett and D. Hudig (USA) 11

Direct assessment of junctional diversity in rearranged T cell receptor β chain encoding genes by combined heteroduplex and single strand conformation polymorphism (SSCP) analysis
M.T.C. Offermans, L. Struyk, B. De Geus, F.C. Breedveld, P.J. Van den Elsen and J. Rozing (Netherlands) 21

Use of peptide immunization for porcine insulin of a very high homology with a host protein
S. Katoh, M. Terashima, K. Tomioka and N. Hikida (Japan) 33

A method for titration of inhibiting antibodies to bacterial immunoglobulin A1 proteases in human serum and secretions
J. Reinholdt (Denmark) 39

A convenient method for epitope competition analysis of two monoclonal antibodies for their antigen binding
J.-W. Kwak and C.-S. Yoon (South Korea) 49

Microtiter plate immunoassay for the evaluation of platelet adhesion to fibronectin
M. Chiba, S.W. Malik and U. Specks (USA) 55

Clarification of immunoblots on polyvinylidene difluoride (PVDF) membranes for transmission densitometry
J.F. Tarlton and P.J. Knight (UK) 65

The use of reverse transcription polymerase chain reaction to analyse large numbers of mRNA species from a single cell
K.-M. Toellner, D. Scheel-Toellner, U. Seitzer, R. Sprenger, L. Trümper, C. Schlüter, H.-D. Flad and J. Gerdes (Germany) 71

Evaluation of six anti-gliadin antibody assays
R. Berger and G. Schmidt (Switzerland) 77

Letters to the editors

Tween 20 selectively enhances naturally occurring anticardiolipin antibody binding in ELISA procedures
H.M. Cheng (Malaysia) 87

Reply to the letter of H.M. Cheng
A.R. Cabral, J.C. Contreras and D. Alarcón-Segovia (Mexico) 89

Software notice

Two-graph receiver operating characteristic (TG-ROC): update version supports optimisation of cut-off values that minimise overall misclassification costs
M. Greiner (Germany) 93

Notes to authors 95

Number 2 – 27 May 1996

Review article

Assays for measuring soluble cellular adhesion molecules and soluble cytokine receptors
A. Meager, C. Bird and A. Mire-Sluis (UK)

97

Research reports

Antibody production in rabbits and chickens immunized with human IgGA comparison of titre and avidity development in rabbit serum, chicken serum and egg yolk using three different adjuvants
L. Svendsen Bollen, A. Crowley, G. Stodulski and J. Hau (UK) 113

Development of a flow cytometric assay to quantify lymphocyte adhesion to cytokine-stimulated human endothelial and biliary epithelial cells
L.V.P. Korlipara, M.P. Leon, D.A. Rix, M.S. Douglas, P. Gibbs, M.F. Bassendine and J.A. Kirby (UK) 121

Detection and quantification of blood-derived $CD8^+$ T lymphocytes secreting tumor necrosis factor α in response to HLA-A2.1-binding melanoma and viral peptide antigens
W. Herr, J. Schneider, A.W. Lohse, K.-H. Meyer zum Büschenfelde and T. Wölfel (Germany) 131

Introduction of the cell survival gene *bcl-*x_L improves the viability of CTLL-2 cells without affecting their IL-2 proliferative response. Implications for the development of bioassays
L.H. Boise, C.L. McShan and C.B. Thompson (USA) 143

A putative enzyme from various secretions specifically inhibits antibody-antigen interactions
R. Poethke, M. Mäder, I. Zedler, W. Beuche, K. Felgenhauer and N. Kolbus (Germany) 149

Water-soluble conductive polymer homogeneous immunoassay (SOPHIA). A novel immunoassay capable of automation
P. Englebienne and M. Weiland (Belgium) 159

An improved cell-ELISA for the differential screening of antibodies against cell surface molecules of viable adherent Schwann cells
K. Wewetzer, C. Heiniger and B. Seilheimer (Switzerland) 171

Antibodies to p24 antigen do not specifically detect HIV-infected lymphocytes in AIDS patients
A. Kux, S. Bertram, F.T. Hufert, H. Schmitz and D. Von Laer (Germany) 179

Limitations on the use of dihydrorhodamine 123 for flow cytometric analysis of the neutrophil respiratory burst
L.J. Van Pelt, R. Van Zwieten, R.S. Weening, D. Roos, A.J. Verhoeven and B.G.J.M. Bolscher (Netherlands) 187

Erratum 197

Contents of Volume 191 (1996) 199

Notes to authors 201